

## **ERWAN**<sup>™</sup>

## **ERWAN**™ SOLVENT RESISTANT GLOVES **SOFTSKIN GLOVES, PASTEL GREEN, ESS 1**

### **PRODUCT INFORMATION**

Latex protective glove natural satin resistant to a high range of chemical products. Cleaning and hygiene, hospitality, handling of liquid substances, food processing. Use in kitchens, industrial or domestic general. Laboratories.















**SOFTSKIN** 

**PASTEL GREEN** 

**POWDER FREE** 

**REUSABLE** 

**NON STERILE** 

S-XL

### **SOFTSKIN**







ESS 1

#### Characteristics

- Satin latex. Reusable glove.
- Minimal latex level, low in soluble proteins.
- It offers a good grip thanks to its raised palm, anti-slip and precision.
- Unsupported indoor glove for increased sensitivity.
- Chlorinated to improve its chemical resistance.
- Category III high protection glove with excellent elasticity, resistance and dexterity.









# **ERWAN**™ SOLVENT RESISTANT GLOVES **SOFTSKIN GLOVES, PASTEL GREEN, ESS 1**

#### **GLOVE PRESENTATION:**

The product is presented in boxes of 144 pairs. Composed the box of 12 packages, which in turn contain 12 pairs. 12 x12

- Date of Expiry.
- Manufacturing date.
- Lot Number.
- Name, address, business name of the importing company.
- Name and characteristics of the product.
- Brand under which it is marketed.

- CE marking
- Quantity per container.
- Pictograms according to the European Union. establishing technical and care characteristics (storage, warnings, single-use product etc....)

TYPE : Flocklined Nitrile glove.

MATERIAL: High grade natural rubber. Pastel Green color.

SURFACE: Palm finished in inverted diamonds that improve grip and handling.

PRESENTATION: 12 packages x 12 pairs = Total 144 pairs per box

THICKNESS: 330+/-10

LENGTH : 290 mm +/-0'10

LIFETIME : If the glove is stored properly, preventing high temperatures, direct sun and humidity, the

life span can be 4 YEARS.

#### REGULATIONS AND DIRECTIVES THAT OUR GLOVES COMPLY:

- Standard EN 374-1 / 374-2 / 374-3: Guarantees protection against microorganisms and chemical substances.
- EN 420 standard: Meets the requirements for protective gloves.
- EN 388 standard: Meets the requirements for gloves resistant to abrasion, cuts, punctures and tears.
- Directive Certification 89/686 / ECC
  Category III PPE certificate.
- CE certificate.

Food use certificate.
 ISO 9001:2008

SPECIFICATIONS AND PROPERTIES				
Reference No.	0088	0089	0090	0091
Numeric Size	7	8	9	10
Color	Pastel Green	Pastel Green	Pastel Green	Pastel Green
Size	Small	Medium	Large	X-Large